


**INSTRUMENT
APPROACH
CHART - ICAO**


AD ELEV **68 FT**
HEIGHTS RELATED TO
THR RWY 24 ELEV **60 FT**

TALLINN RADAR 127.905
ÄMARI TOWER 122.100 / 257.800

**ÄMARI (EEEE)
MILITARY AERODROME**
ILS or LOC RWY 24
(CAT C;D;E)



SCALE 1 : 350 000



- NOTE 1**
DME required.
GP/DME paired LOC IGO.
- NOTE 2**
IAS is limited to
MAX 230 KT.


MISSED APPROACH
Climb on track 243 to 2200 and expect radar vectors. Contact TALLINN RADAR CH 127.905.

COMMUNICATION FAILURE
Climb straight ahead. Join VEGER holding climbing to 2200. Start new approach after one full holding and land.

TRANSITION ALT 5000

DME IGO	1 NM	2 NM	3 NM	4 NM	5 NM	6 NM
ALT	390	700	1020	1340	1660	1980
HGT	(330)	(650)	(960)	(1280)	(1600)	(1920)

Table for LOC ONLY approach.



Timing not authorized for defining the MAPt.

OCA (H)	C	D	E	LOC ONLY									
				KT	100	120	140	160	180	200	220		
Straight-in Approach	CAT I	318 (258)	328 (268)	347 (287)	LOC ONLY	MIN : SEC	3:36	3:00	2:34	2:15	2:00	1:48	1:38
	LOC ONLY	800 (730)			970 (900)	Rate of descent	FT / MIN	535	640	745	850	960	1065

CHANGES: Intermediate MOCA added to profile view, TALLINN RADAR CH, Circling OCA(H).